

NK 13-0-44+1%Mg

TECHNICAL SPECIFICATION

1. TYPICAL ANALYSIS :

CHARATERISTICS :	UNIT :	TYPICAL :	GUARANTEED
Purity KNO ₃	w/w %	99	99 min
K	w/w %	36.3	35.5 min
K ₂ O	w/w %	43.7	42.81 min
N	w/w %	13	12.74
Solubility of (N, K & Mg)	w/w %	99.70%	
Mg	w/w %	1	max 1.4
MgSO ₄	w/w %	5	
S	w/w %	1.3	
Na	w/w %	0.05	max 0.15
Ca	w/w %	0.05	max 0.2
P	w/w %	0.01	max 0.03
Cl	w/w %	0.05	max 0.2
Perchlorate	ppm	<0.1	
Hypochlorite	ppm	ND	
Nitrite	ppm	ND	
Heavy metals	ppm	< 10	< 10
As	ppm	<2	max 5
Cd	ppm	< 2	max 5
Pb	ppm	< 5	max 10
Cr	ppm	< 2	max 10
Hg	ppm	<0.1	<0.2 max
Water insolubles	w/w %	0.01	0.05 max
Anticaking agent	w/w %	0.1-0.15	0.15 max
Bulk density loose	t / m ³	1.00 - 1.19	1.2 max
pH		6.0-8.0	9

SIEVE ANALYSIS	µm	CUMULATIVE w / w %
	650	10
	350	50
	170	90
	130	95
	80	99



NK 13-0-44+1%Mg

TECHNICAL SPECIFICATION

2. ANALYTICAL METHODS :

CHARACTERISTICS :	METHODS :
K	ASTM 2011 vol 11.01 D4192-08
N	Standard method for the Examination water & waste water 21st edition (4 – 120)
Cl	A ASTM 2011, vol 11.01, D512-10
Na	AOAC 2005, 18th Edition, method 974.01 ch 2 page 39 (2.6.26)
Ca	AOAC 2005, 18th Edition, Method 965.09 ch 2, p 29
P	AOAC 2005, 18th Edition, Method 958.01, Chapter 2, p.6
Heavy metals	ASTM 2011 vol 11.01 D3557-02-D, D3559-08-D
Humidity	AOAC 2005, 18th Edition, Method 950.01, Chapter 2, p.4
Water insolubles	AOAC 2005, 18th Edition, Method 925.55 - C
Anticaking agent	UV spectrophotometry determination 284 nm



NK 13-0-44+1%Mg

4 . PACKING / STORAGE :

1200 Kg, 1000 Kg, or 25 kg bags.
1000 kg net shrink-wrapped pallet.

NK13-0-44+1Mg% is a hygroscopic product sensitive to moisture and big temperature variations.
In order to avoid any risk of caking or product deterioration, NK13-0-44+1Mg% must only be stored in a dry, ventilated and covered area.

5 . USES :

Direct application, NPK and NK granulation or ammoniation, NPK and NK bulk blending, liquid and suspension fertilizers, fertigation (sprinkler, mini sprinklers and drip irrigation), foliar sprays, foliar NPK fertilizers, starter and transplant solutions, winter hardener, winter breaking dormancy sprays, flowering inducement sprays.

6 . CROPS :

Flowers, vegetables, strawberries, potted plants, soilless culture,
(in door and out door), tobacco, potatoes, fruit trees, grapes, citrus,
pineapples, cotton, bananas, mango, olives, home gardens, lawns.

7 . PRODUCTION SITE :

Arab Fertilizers & Chemicals Industries Ltd.
(KEMAPCO®)
P.O.BOX 2564 Aqaba 77110 Jordan
TEL.: +96232017174
FAX: +96232017181
E-mail : kemapco@kemapco.com.jo

